

PERKO®

NON-EPA GAS AND DIESEL DECK FILLS FOR 2" HOSE



Fig. 0577



Alternative Style Cap
Available. Contact Factory.

Fig. 0577 - Vented Fuel Fill for 2 Inch Hose

Patent No. 5,275,213

CONSTRUCTION:

- Chrome Plated Bronze
- Integral Tank Vent with Flame Arrestor
- Deck Plate Key, O-Ring and Integral Retainer on Cap Included
- Ground Wire Required

AVAILABLE IN
MARINIUM
Aluminum-Alloy
For Complete
Ordering Info:
See Pgs R-183-184



Fig. 1247

Ordering Info		
Type	Std. Pkg. - 1 Pc.	Ship Wt. Carton Lbs. Std Pkg
Gas	0577G00CHR*	2.0
Diesel	0577D00CHR	2.0

Tech Info
For Fuel Hose: 2"
For Vent Hose: 5/8"
Neck Length: 3-5/8"
Screw Size: #8

8



Fig. 0579



Alternative Style Cap
Available. Contact Factory.

Fig. 0579 - Angled Vented Fuel Fill for 2 Inch Hose

Patent No. 5,275,213

CONSTRUCTION:

- Chrome Plated Bronze
- Integral Tank Vent with Flame Arrestor
- Angled Neck
- Deck Plate Key, O-Ring and Integral Retainer on Cap Included
- Ground Wire Required

AVAILABLE IN
MARINIUM
Aluminum-Alloy
For Complete
Ordering Info:
See Pgs R-183-184



Fig. 1247

Ordering Info		
Type	Std. Pkg. - 1 Pc.	Ship Wt. Carton Lbs. Std. Pkg.
Gas	0579G00CHR*	2.5
Diesel	0579D00CHR	2.4

Tech Info
For Fuel Hose: 2"
For Vent Hose: 5/8"
Neck Length: 4-3/4"
Screw Size: #8



Fig. 0576



Fig. 1247

Fig. 0576 - Non Vented Fuel Fill for 2" Hose

CONSTRUCTION:

- Chrome Plated Bronze
- Deck Plate Key, O-Ring and Retainer on Cap Included
- Ground Wire Required

Ordering Info		
Type	Std. Pkg. 1 Pc.	Ship Wt. Carton Lbs. Std. Pkg.
Gas	0576G00CHR*	1.2
Diesel	0576D00CHR	1.2

Tech Info
For Hose Size: 2"
O.D. Flange: 3-3/8"
Neck Length: 3-5/8"
Mounting Hole Dia.: 2-1/4"
Screw Size: #8

SPARE PARTS ORDERING INFORMATION

Gas Cap & O-Ring: 0576DPG99A
Retaining Ring: 0537DP2

Diesel Cap & O-Ring: 0576DPD99A
Deck Plate Key: 1247DP0BLK

*NOTE: These Items Meet the Requirements of U.S.C.G. Safety Standards, January 31, 1977, for Gasoline Fuel Systems, 33 CFR 183.
Fills shown on this page DO NOT meet the requirements for 40 CFR 1060 sub part B Emissions Standards and Related Requirements.



NON-EPA STYLE GAS FILLS AND REPLACEMENT FLIP-TOP CAP FOR 1-1/2" HOSE

Figs. 0540, 0541, 0542, 0543, 0580, 0581, 0582, 0583, 0590 & 0591 - Vented Gas Fills

Patent Nos. 5,275,213 & 5,327,946

CONSTRUCTION:

- Black Polymer Body with Stainless Steel Bead Chain (except Figs. 0542 & 0543)
- Integral Tank Vent with Flame Arrestor and Anti Surge Valve
- Deck Plate Key Included

Figs. 0580, 0581, 0582 & 0583

- Chrome Plated Bronze or Stainless Steel Scalloped Cap
- Figs. 0580 & 0581 Color Coded Metallic Insert
- Figs. 0582 & 0583 Color Coded Resin Insert

**Fig. 0580 Fig. 0581 Fig. 0582 Fig. 0583****Fig. 0540**

*Note: Consider using the Mounting Ring (Fig. 0540DPRBLK) for all installations. DP package includes mounting ring. See Page E-34

**Fig. 1241****Figs. 0540, 0541, 0590 & 0591**
Chrome Plated Bronze Cap**Fig. 0541****Fig. 0590****Fig. 0591****Figs. 0542 & 0543**
Black or White Polymer Top with Polymer Tether**Fig. 0542****Fig. 0543**

8

Ordering Info - Non-EPA Vented Gas Fills

Type	Neck	Cap Material	Dealer Pkg - 5 Cds	OEM Bulk Pkg.	Ship Wt. Carton Lbs.
			1 Pc. per Card	25 Pcs.	DP/OEM Bulk
Gas	Angled	Chrome	0540DPGCHR*	0540G00CHR*	4.2/15.7
Gas	Angled	Black Poly	0542DPGBLK*	0542G00BLK*	3.0/9.2
Gas	Angled	White Poly	0542DPGWHT*	0542G00WHT*	3.0/9.2
Gas	Angled	Chrome	-----	0580G00CHR*	---/17.2
Gas	Angled	Stainless	-----	0580G00STS*	---/15.8
Gas	Angled	Chrome	0582DP0CHR*	0582G00CHR*	4.5/17.2
Gas	Angled	Stainless	-----	0582G00STS*	---/15.8
Gas	Angled	Chrome	0590DPGCHR*	0590G00CHR*	5.0/18.9
Gas	Straight	Chrome	0541DPGCHR*	0541G00CHR*	4.1/15.2
Gas	Straight	Black Poly	0543DPGBLK*	0543G00BLK*	3.0/9.2
Gas	Straight	White Poly	0543DPGWHT*	0543G00WHT*	3.0/9.2
Gas	Straight	Chrome	-----	0581G00CHR*	---/17.2
Gas	Straight	Stainless	-----	0581G00STS*	---/15.8
Gas	Straight	Chrome	0583DP0CHR*	0583G00CHR*	4.5/17.2
Gas	Straight	Stainless	-----	0583G00STS*	---/15.8
Gas	Straight	Chrome	0591DPGCHR*	0591G00CHR*	5.0/18.6

Tech Info

For Hose Size: 1-1/2"
For Vent Hose: 5/8"
O.D. Flange: 3-3/8"
Neck Length: 2-7/16"
Mounting Hole Dia.: 2-1/8"
Screw Size: #8

AVAILABLE IN

MARINUM
Aluminum-Alloy
For Complete Ordering
Info: See Pgs R-183-184

NOTICE:

Fig. 0795 NOT for replacement of any ratcheting (and/or EPA style) fuel caps



Use **Fig. 0795 ONLY** with **PERKO® Vented Fills**
Fig. Nos.: 0540, 0541, 0542, 0543, 0580, 0581, 0582, 0583, 0590 & 0591

**Fig. 0795 - Replacement Vented Flip Top Cap for Fills with 1-1/2" Hose****CONSTRUCTION:**

- Black or White Polymer
- Easily Mounts Directly on Gunnel without Removing Fill Body
- Includes Metallic Inserts for Gas, Diesel or Water Fills
- Integral Tank Vent with Flame Arrestor
- No Deck Plate Key or Ground Wire Required
- Flip Top Cap

Fig. 0795
White**Fig. 0795**
Black**Ordering Info**

Color	Dealer Pkg.	Ship Wt.
	10 Cards	Carton Lbs.
Color	1 Pc. per Card	Dealer Pkg.
Black	0795DP0BLK*	2.5
White	0795DP0WHT*	2.5

Tech Info

Requires 5-1/4" Dia.
Mounting Surface
Screw Size: #8

COLOR CODED METALLIC INSERTS**NEW**
PRODUCT

*NOTE: These Fills Meet the Requirements of U.S.C.G. Safety Standards, January 31, 1977, for Gasoline Fuel Systems, 33 CFR 183.
Fills shown on this page DO NOT meet the requirements for 40 CFR 1060 sub part B Emissions Standards and Related Requirements.

NON-EPA STYLE GAS & WATER FILLS FOR 1-1/2" HOSE

Fig. 0552

Figs. 0551, 0552, 0557 & 0564 - Non-Vented Gas Fills

CONSTRUCTION:

- Black Polymer Body with Stainless Steel Bead Chain
- Deck Plate Key Included on Figs. 0551, 0552, 0557
- No Deck Plate Key Required on Fig. 0564
- Figs. 0557 & 0564: Chrome Plated Bronze or Stainless Steel Scalloped Cap
- Fig 0551 Color Coded Metallic Insert
- Fig 0552 Color Coded Resin Insert

Fig. 0551

Figs. 0551 & 0552

Fig. 0557



*Note: Consider using the Mounting Ring (Fig. 0540DPRBLK) for all installations. DP package includes mounting ring. See Page E-34

Ordering Info - Non-Vented Gas Fills

Type	Neck	Cap Type	Dealer Pkg-5 Cds 1 Pc. per Card	OEM Bulk Pkg. 25 Pcs.	Ship Wt. Carton Lbs. DP/OEM Bulk
Gas	Straight	Chrome	-----	0551G00CHR*	---/20.5
Gas	Straight	Stainless	-----	0551G00STS*	---/18.0
Gas	Straight	Chrome	0552DP0CHR*	0552G00CHR*	4.9/19.8
Gas	Straight	Stainless	-----	0552G00STS*	---/18.5
Gas	Straight	Chrome	0557DPGCHR*	0557G00CHR*	4.0/18.0
Gas	Straight	Chrome	0564DPGCHR*	0564G00CHR*	5.0/21.0

Tech Info

For Hose Size: 1-1/2"
O.D. Flange: 3-3/8"
Neck Length: 3-1/8"
Mounting Hole Dia.: 2-1/8"
Screw Size: #8

8

Fig. 0564

For Spare Cap Ordering
Information See Page E-36

Figs. 1318 & 1319 - Vented Flip Top Cap Fills For 1-1/2" Hose

Patent No. 5,275,213

CONSTRUCTION:

- Black or White Polymer
- Integral Tank Vent with Flame Arrestor
- No Deck Plate Key or Ground Wire Required
- Flip Top Cap

Fig. 1318 - 35° Angled Neck

Fig. 1319 - Straight Neck



Fig. 1319

Ordering Info

Type	Neck	Body Color	Dealer Pkg. 10 Cds 1 Pc. per Card	OEM Bulk Pkg. 50 Pcs.	Ship Wt. Carton Lbs. DP/OEM Bulk
Gas	Angled	Black	1318DPGBLK*	1318G00BLK*	5.5/17.8
Gas	Straight	Black	1319DPGBLK*	1319G00BLK*	4.7/13.5
Gas	Straight	White	1319DPGWHT*	1319G00WHT*	4.7/14.1
Water	Straight	Black	1319DPWBLK	1319W00BLK	4.7/14.0
Water	Straight	White	1319DPWWHT	1319W00WHT	4.7/13.9

Tech Info

For Hose Size: 1-1/2"
For Vent Hose: 5/8"
Neck Length: 2-7/16"
Screw Size: #10

CE

Fig. 1613 - Non-Vented Polymer Gas Fill for 1-1/2" Hose

CONSTRUCTION:

- Fiber Reinforced, U.V. Stabilized Black Polymer
- No Deck Plate Key or Ground Wire Required
- Easy-Grip Cap
- O-Ring and Cap Retainer Included



Fig. 1613

Ordering Info

Type	Dealer Pkg. 10 Cards 1 Pc. per Card	OEM Bulk Pkg. 50 Pcs.	Screw Size	Ship Wt. Carton Lbs. DP/OEM Bulk
Gas	1613DP0BLK*	1613000BLK*	#8	2.0/13.9

Tech Info

For Hose Size: 1-1/2"
O.D. Flange: 3-1/16"
Neck Length: 2-7/16"
Mounting Hole Dia.: 1-3/4"

Spare Parts: Cap with O-Ring and Retainer: 161300099A, O-Rings (2 per bag): 1313DP099A

*NOTE: These Items Meet the Requirements of U.S.C.G. Safety Standards, January 31, 1977, for Gasoline Fuel Systems, 33 CFR 183.
Fills shown on this page DO NOT meet the requirements for 40 CFR 1060 sub part B Emissions Standards and Related Requirements.



NON-EPA STYLE GAS FILLS AND MATCHING DIESEL, WATER, AND WASTE FILLS FOR 1-1/2" HOSE

Fig. 0520 - Non-Vented Fuel & Water Fills for 1-1/2" Hose

Fig. 0507 - Waste Deck Plate for Hose

CONSTRUCTION:

- Chrome Plated Bronze
- Deck Plate Key and O-Ring Included
- Retainer on Cap (Fig. 0520 only)
- Cap Has a Slot Between the Holes
- Ground Wire Required on Fig. 0520 Gas Fills.

**Fig. 0520
Gas, Diesel
& Water**



**Fig. 0507
Waste**



Fig. 1248

Ordering Info

Type	Dealer Pkg. - 5 Cards 1 Pc. per Card	OEM Bulk Pkg. 25 Pcs.	Ship Wt. Carton Lbs. DP/OEM Bulk
Gas	0520DPGCHR*	0520G00CHR*	4.2/19.9
Diesel	0520DPDCHR	0520D00CHR	4.2/19.9
Water	0520DPWCHR	0520W00CHR	4.2/19.9
Waste	0507DP0CHR	0507000CHR	4.0/20.0

Tech Info

For Hose Size: 1-1/2"
O.D. Flange: 3-1/8"
Neck Length: 3-1/2"
Mounting Hole Dia.: 2-1/8"
Screw Size: #8

SPARE PARTS ORDERING INFORMATION

Fig. 0520 Cap with O-Ring and Retainer: 0520DP099A.

Fig. 0507 Waste Cap with O-Ring: 0507DP099A.

O-Rings Only (2 per bag): 0520DP099B Deck Plate Key: 12487-8DP.

Fig. 1270 - Non-Vented Fuel & Water Fills for 1-1/2" Hose

Fig. 1269 - Waste Deck Plate for Hose

CONSTRUCTION:

- Chrome Plated Zinc Alloy
- Black Polymer Cap
- Deck Plate Key and O-Ring Included
- Integral Retainer on Cap (Fig. 1270 only)
- Cap Has a Slot Between the Holes
- Ground Wire Required on Gas Fills

**Fig. 1270
Gas, Diesel & Water**



**Fig. 1269
Waste**



Fig. 1248

Ordering Info

Type	Dealer Pkg. - 5 Cards 1 Pc. per Card	OEM Bulk Pkg. 25 Pcs.	Ship Wt. Carton Lbs. DP/OEM Bulk
Gas	1270DPGCHR*	1270G00CHR*	4.0/18.5
Diesel	1270DPDCHR	1270D00CHR	4.0/18.5
Water	1270DPWCHR	1270W00CHR	4.0/18.5
Waste	1269DP0CHR	1269000CHR	3.9/18.0

Tech Info

For Hose Size: 1-1/2"
O.D. Flange: 3-1/8"
Neck Length: 3-1/2"
Mounting Hole Dia.: 2-1/8"
Screw Size: #8

SPARE PARTS ORDERING INFORMATION

Fig. 1270 Gas Cap with O-Ring and Retainer: 1270DPG99A

Fig. 1270 Diesel Cap with O-Ring and Retainer: 1270DPD99A

Fig. 1270 Water Cap with O-Ring and Retainer: 1270DPW99A

Fig. 1269 Waste Cap with O-Ring: 1269DP099A

O-Rings Only (2 per bag): 0513DP8 Deck Plate Key: 12487-8DP

NOTE: Figs. 0507 & 1269 Comply with Adopted Standards on "Fittings" A.B.Y.C. Recommended Practices Standards Covering Sewage Holding and/or Treatment Devices for Marine Waste Systems.

*NOTE: These Items Meet the Requirements of U.S.C.G. Safety Standards, January 31, 1977, for Gasoline Fuel Systems, 33 CFR 183. Fills shown on this page DO NOT meet the requirements for 40 CFR 1060 sub part B Emissions Standards and Related Requirements.

Fig. 0599 - Non-Vented Gas Fill with Locking Cap for 1-1/2" Hose

Patent No. 3,828,714

CONSTRUCTION:

- Chrome Plated Bronze Flange and Black Polymer Body
- Black Polymer Locking Cap with Strap
- Grounding Screw Included
- Cap Retainer and Gasket
- Locking Cap Has a Cover for the Key Hole



Fig. 0599

Ordering Info

	Dealer Pkg. 5 Cards	OEM Bulk Pkg. 25 Pcs.	Ship Wt. Carton Lbs. DP/OEM Bulk
Type	1 Pc. per Card		
Gas	0599DPGCHR*	0599G00CHR*	3.1/13.5
Diesel	0599DPDCHR	0599D00CHR	3.1/13.5

Tech Info

For Hose Size: 1-1/2"
O.D. Flange: 3-3/8"
Neck Length: 3-1/8"
Mounting Hole Dia.: 2-1/8"
Screw Size: #8

SPARE PARTS ORDERING INFORMATION

Cap with O-Ring and 2 Keys: 1324DP1BLK.

Fig. 1313

Figs. 1313 & 1399 - Gas Fills for 1-1/2" Hose

Patent No. 3,828,714

CONSTRUCTION:

- Chrome Plated Zinc Alloy with Black Polymer Flange
- Black Polymer Cap with Strap
- Grounding Screw Included
- Cap Retainer and Gasket
- Fig. 1399 Locking Cap Has a Cover for the Key Hole



Fig. 1399

Ordering Info

	Dealer Pkg. 5 Cards	OEM Bulk Pkg. 50 Pcs.	Ship Wt. Carton Lbs. DP/OEM Bulk
Type	1 Pc. per Card		
Gas	1313DP0CHR*	1313000CHR*	3.1/24.7
Gas w/Lock	1399DP0CHR*	1399000CHR*	3.6/25.6

Tech Info

For Hose Size: 1-1/2"
O.D. Flange: 3-1/8"
Neck Length: 1-7/8"
Mounting Hole Dia.: 2-1/8"
Screw Size: #6

SPARE PARTS ORDERING INFORMATION

Non-Locking Cap: 0126DP0BLK Locking Cap with 2 Keys: 1324DP0BLK

Fig. 0527 - Gas Fill for 1-1/2" Hose

CONSTRUCTION:

- Chrome Plated Bronze
- 35° Angled Hose Bib
- Deck Plate Key, O-Ring and Retaining Cable on Cap Included
- Cap Has A Slot Between the Holes
- Ground Wire Required



Fig. 0527



Fig. 1247

Ordering Info

Type	Standard Pkg. - 1 Pc.	Ship Wt. Carton Lbs. Std. Pkg.
Gas	0527G08CHR*	2.7

Tech Info

For Hose Size: 1-1/2"
O.D. Flange: 3-1/2"
Neck Length: 4-7/8"
Mounting Hole Dia.: 2-1/4"
Screw Size: #10

SPARE PARTS ORDERING INFORMATION

Cap with O-Ring and Retainer: 0528DP899A O-Rings Only (2 per bag): 0513DP8
Deck Plate Key: 1247DP0BLK

*NOTE: These Items Meet the Requirements of U.S.C.G. Safety Standards, January 31, 1977, for Gasoline Fuel Systems, 33 CFR 183.
Fills shown on this page DO NOT meet the requirements for 40 CFR 1060 sub part B Emissions Standards and Related Requirements.



NON-EPA STYLE GAS, DIESEL, WATER, WASTE AND UNMARKED FILLS FOR PIPE

Fig. 0528 - Fuel, Water & Unmarked Fills for Pipe

Fig. 0524 - Waste Deck Plate for Pipe

CONSTRUCTION:

- Cast Bronze; Plain or Chrome Plated
- Pipe Sizes 1-1/4 and 1-1/2 Inch Caps Have a Slot Between the Holes
- Deck Plate Key and O-Ring Included
- Pipe Sizes 2, 2-1/2 and 3 Inch Have 4 Mounting Holes

**Fig. 0528
Unmarked
Shown in
Marinium**



Fig. 0528 Gas




Fig. 0528 Diesel



Fig. 0528 Water



Fig. 0524 Waste



Fig. 1248



Ordering & Tech Information

For Unmarked Fills

Pipe Size Inches	O.D. Flange Inches	Mounting Hole Dia. Inches	Plain Bronze Std. Pkg. - 1 Pc.	Chr. Plated Bronze Std. Pkg. - 1 Pc.	Chr. Pltd Bronze OEM Bulk Pkg. 10 Pcs.	Ship Wt. Carton Lbs. PLB/CHR/OEM Bulk
1	2-7/8	1-1/2	0528006PLB	0528006CHR	-----	0.8/0.8/--
1-1/4	3-5/16	2-1/8	0528007PLB	0528007CHR	-----	0.8/0.8/--
1-1/2	3-5/8	2-3/8	0528008PLB	0528DP8CHR*	0528008CHR	1.0/4.7/9.4
2	4-1/4	3	0528009PLB	0528009CHR	-----	2.0/2.1/--
2-1/2	4-5/8	3-5/8	0528010PLB	0528010CHR	-----	2.0/2.1/--
3	5-3/8	4	0528011PLB	0528011CHR	-----	3.0/3.1/--

For Gas Fills**

Pipe Size Inches	O.D. Flange Inches	Mounting Hole Dia. Inches	Plain Bronze Std. Pkg. - 1 Pc.	Chr. Plated Bronze Std. Pkg. - 1 Pc.	Chr. Plated Bronze OEM Bulk Pkg. 10 Pcs.	Ship Wt. Carton Lbs. PLB/CHR/OEM Bulk
1-1/2	3-5/8	2-3/8	0528G08PLB	0528DPGCHR*	0528G08CHR	1.0/5.0/9.5
2	4-1/4	3	-----	0528G09CHR	0528G09CHR	--/2.1/18.0

For Diesel Fills

Pipe Size Inches	O.D. Flange Inches	Mounting Hole Dia. Inches	Plain Bronze Std. Pkg. - 1 Pc.	Chr. Plated Bronze Std. Pkg. - 1 Pc.	Bronze OEM Bulk Pkg. 10 Pcs.	Ship Wt. Carton Lbs. PLB/CHR/OEM Bulk
1-1/2	3-5/8	2-3/8	0528D08PLB	0528DPDCHR*	0528D08CHR	1.0/5.1/9.5
2	4-1/4	3	0528D09PLB	0528D09CHR	-----	2.0/2.0/--

For Water Fills

Pipe Size Inches	O.D. Flange Inches	Mounting Hole Dia. Inches	Plain Bronze Std. Pkg. - 1 Pc.	Chr. Plated Bronze Dealer Pkg. 5 Pcs.	Chr. Plated Bronze OEM Bulk Pkg. 10 Pcs.	Ship Wt. Carton Lbs. PLB/CHR/OEM Bulk
1-1/2	3-5/8	2-3/8	0528W08PLB	0528DPWCHR*	0528W08CHR	1.0/5.0/9.0

For Waste Fills

Pipe Size Inches	O.D. Flange Inches	Mounting Hole Dia. Inches	Chr. Plated Plain Bronze Std. Pkg. - 1 Pc.	Chr. Plated Bronze Dealer Pkg. 5 Pcs.	Bronze OEM Bulk Pkg. 10 Pcs.	Ship Wt. Carton Lbs. PLB/CHR/OEM Bulk
1-1/2	3-5/8	2-3/8	-----	0524DP0CHR*	0524000CHR	4.8/9.4

Screw Sizes: Pipe Sizes 2-1/2 and 3 Inch Deck Plates #10, All Others #8.

SPARE PARTS ORDERING INFORMATION

Pipe Size Inches	Plain Bronze Cap with O-Ring	Chr. Plated Bronze Cap with O-Ring	Chr. Plated Bronze Waste Cap w/O-Ring	O-Rings Only (2/bag, 5 bags/Pkg)	Spare Key
1	0528P0699A	0528C0699A	-----	0513006	1248006DP***
1-1/4	0528P0799A	0528C0799A	-----	0513007	12487-8DP***
1-1/2	0528P0899A	0528DP899A*	0524DP099A	0513DP8	12487-8DP***
2	0528P0999A	0528C0999A	-----	0513009	1248009DP***
2-1/2	0528P1099A	0528C1099A	-----	0513010	1248010ZNC
3	0528P1199A	0528C1199A	-----	0513011	052801199C

* Dealer Pkg. - 5 pcs. (1 pc. per card) *** Dealer Pkg. - 10 pcs. (1 pc. per card)

NOTE: Fig. 0524 Complies with Adopted Standards on "Fittings" A.B.Y.C. Recommended Practices Standards Covering Sewage Holding and/or Treatment Devices for Marine Waste Systems.

**NOTE: These Items Meet the Requirements of U.S.C.G. Safety Standards, January 31, 1977, for Gasoline Fuel Systems, 33 CFR 183. Fills shown on this page DO NOT meet the requirements for 40 CFR 1060 sub part B Emissions Standards and Related Requirements.

Visit www.perkofuelsystem.com for more information on PERKO® fuel system products.

PERKO®
Est. 1907

E-33

Fuel System Locking Inserts, Caps Mounting Ring and Retaining Cable



Counter Display



Fig. 0525

Fig. 0525 - Fuel System Locking Insert for 1-1/2" Vented Fills

CONSTRUCTION:

- Black Polymer with Zinc Alloy Lock Cylinder
- Dual Purpose Key Opens Fill Cap & Locking Insert
- Fits Most PERKO® Vented Fills
- Available in Dealer Package or 12 Piece Countertop Display

Note: Not for use with EPA Compliant gas fills with Vacuum Pressure Relief valves (VPR) Perko Fig. No's 0660, 0661, 0662, 0663, 0780, 0781, 0782, 0783, 0790 & 0791

Ordering Info & Tech Info

Dealer Pkg. - 5 Cards 1 Pc. Per Card 0525DP0BLK	P.O.P. Display 12 Pcs. 0525DP0DIS	Ship Wt. Carton Lbs. DP/P.O.P. Display 1.2/3.3
---	---	--

9



Fig. 1324



Fig. 0520 Fill
Shown with
Locking Cap

Fig. 1324 - Fuel System Locking Cap For 1-1/2" Non-Vented Fills

CONSTRUCTION:

- Black Polymer with Gasket
- Built in Lock Cylinder with Cover for Key Hole
- Size #0 Fits PERKO Fills 1313 & 1399
- Size #1 Fits PERKO Fills 0520, 0527, 0528, 0557, 0599 and 1270

Ordering Info & Tech Info

Dealer Pkg. 5 Cards 1 Pc. Per Card 1324DP0BLK 1324DP1BLK	Cap Outside Thread Diameter Inches 1-15/32 1-7/8	Ship Wt. Carton Lbs. Dealer Pkg. 1.0 1.1
--	--	--




Fig. 0540 Ring

Installation Note: on the use of Vented Fuel Fills

PERKO® Fig. Nos. 0540, 0541, 0542, 0543, 0580, 0581, 0582, 0583, 0590, 0591, 0640, 0641, 0642, 0643, 0680, 0681, 0682, 0683, 0690 & 0691

The use of these heightening rings is required in any application where water might be splashed around a vented fill. The ring raises the opening between the fuel cap and fill an additional 3/8" above the deck surface, thereby reducing the likelihood that splashed water will enter the fuel system through the breathing vent. The split version of the ring is designed for aftermarket use on existing installations. In most cases, it allows the ring to be added without disconnecting fuel and vent hoses from the fill. For new OEM installations, rings are supplied without the split since they can be installed before hoses are connected to the fill.

NOTE: The ring will not prevent water from entering the system if the cap becomes submerged or substantially flooded. If this situation exists, the fill/vent must be moved to a dry location or replaced with a sealed cap and a separate vent located elsewhere.

CONSTRUCTION:

- Black Polymer

Ordering Information

Dealer Pkg. - 5 Cards 1 Pc. Per Card 0540DPRBLK	OEM Bulk Pkg. 50 Pcs. 0540RNGBLK
---	--

Fig. 0537 - Retaining Cable for Deck Plates

CONSTRUCTION:

- Stainless Steel Cable and Fittings
- Stainless Steel Ring and Self Tapping Screw



Fig. 0537

Ordering Info & Tech Info

Fill Hose Size Inches 1-1/2 2	Ring Dia. Inches 1-3/8 2	Length Cable Inches 7 7	Dealer Pkg. - 5 Cards 1 Pc. per Card 0537DP 0537DP2	Ship Wt. Carton Lbs. Dealer Pkg. 0.4 0.4
--	-----------------------------------	----------------------------------	--	---

**Fig. 1241 - Deck Plate Key****CONSTRUCTION:**

- Black Polymer
- 2 Holes for Key Chain

Fits PERKO 0552, 0568, 0569, 0580, 0581, 0582 and 0583 Deck Plates

Also fits PERKO 1-1/4" and 1-1/2" Deck Plates
and Many Other "Slot" Type Opening Deck Plates

Ordering Info

Dealer Pkg. 10 Cards 1 Pc. per Card	OEM Bulk Pkg. 50 Pcs.	Ship Wt. Carton Lbs. DP/OEM Bulk
1241DP0BLK	1241000BLK	1.0/2.0

Tech Info

Center to Center of Lugs:
1-1/8"
Length Spade: 1"
Length Overall: 4"

**Fig. 1241**

For use with these style caps

**Fig. 1247 - Deck Plate Key****CONSTRUCTION:**

- Black Polymer

Compact Size with Hole for Key Chain. Fits PERKO 1-1/4" and 1-1/2" Deck Plates
and Many Other "Slot" Type Opening Deck Plates

Ordering Info

Dealer Pkg. 10 Cards 1 Pc. per Card	OEM Bulk Pkg. 50 Pcs.	Ship Wt. Carton Lbs. DP/OEM Bulk
1247DP0BLK	1247000BLK	0.7/0.7

Tech Info

Center to Center of Lugs:
1-1/8"
Length Spade: 1"
Length Overall: 1-3/4"

Fig. 1247

For use with these style caps



9

Fig. 1248 - Deck Plate Key**CONSTRUCTION:**

- Black Polymer or Zinc Alloy

The Keys For 1" Thru 1-1/2" Deck Plates Have a 1 Inch Spade on Handle
That Fit Many Other "Slot" Type Opening Deck Plates

Ordering Info

For Deck Plate Size Inches	C. to C. of Lugs	Length Overall Inches	Material	Dealer Pkg. 10 Cards 1 Pc. per Card	Std. Pkg. 50 Pcs.	Ship Wt. Carton Lbs. DP/Std. Pkg.
1	5/8	3-3/8	Polymer	1248006DP	-----	1.0/---
1-1/4 & 1-1/2	1-1/8	3-3/8	Polymer	12487-8DP	12487-8BLK	1.0/1.4
2	1-11/16	4-3/8	Zinc	1248009DP	-----	2.0/---
2-1/2	2	4-3/8	Zinc	-----	1248010ZNC*	---/0.2

*Standard Pkg. - 1 Pc.

**Fig. 1248**

For use with these style caps

**Fig. 0826 - Adjustable Deck Plate Key****CONSTRUCTION:**

- Chrome Plated Zinc Alloy
- Hardened Steel Pins
- Will Fit Sizes up to 8 Inch Diameter

Ordering Info & Tech Info

Length Overall Inches	Dealer Pkg. - 5 Cards 1 Pc. per Card	Ship Wt. Carton Lbs. Dealer Pkg.
8-1/2	0826DP0CHR	3.4

**Fig. 0826**