

Searchlights

XR Series Xenon Searchlights 15 Inch 500 Watt and 19 Inch 1600 Watt

Fig. 9304

Remote
Distant Electric
Control Base



Fig. 9854



Solar-Ray® 19" Searchlight Options with either Wheel, Lever/Gear or Remote Electric Controls

1900 Series
Wheel or Lever/Gear
Control



For more Information on the XR Series and SolarRay® Series Searchlights
See Perko's Website: www.perko.com, Commercial Catalog 315-C, or Contact the Factory.

Searchlights

Solar-Ray® Searchlights 10", 12" or 14" Diameter

**Fig. 0883 Series
Deck Control**



**Fig. 0885 Series
Wheel or Lever/Gear
Control**



**Fig. 0884 Series
Lever Control**



**Fig. 0314
Pilot House Control
Searchlight**
7" or 8" Diameter



**Fig. 0887
14" With Remote
Distant Electric
Control Base**

**Fig. 0305
For Lever
Control**



**Fig. 0313
For Wheel or
Lever/Gear
Control**

**Sealed Beam Solar-Ray®
8" Diameter Searchlights**

For more Information on the XR Series and SolarRay® Series Searchlights
See Perko's Website: www.perko.com, Commercial Catalog 315-C, or Contact the Factory.

Removable Fog Bells

The 8 and 12 Inch Bells Listed on This Page Have Been Reviewed by the U.S. Coast Guard and Comply with C.G. 169 Regulations for Sound Signal Appliances as Required by Annex III Paragraph 2 of the '72 Colregs. The 8 Inch Size is for Use on Vessels Under 20 Meters (65.6 ft.) in Length. The 12 Inch Size is for Use on Vessels of any Length.

Heavy Weight

Material: Cast Bronze
 Finish: Plain, Polished, or Chrome Plated
 Dimensions: 8" or 12" Bell Bottom
 Screw Size: 1/4" F.H.

Finish	Bottom Diameter	Height Overall	Standard Pkg.
Plain	8"	8"	0150008PLB
Polished	8"	8"	0150008POL
Chrome Plated	8"	8"	0150008CHR
Plain	12"	12"	0150012PLB
Polished	12"	12"	0150012POL
Chrome Plated	12"	12"	0150012CHR




Fig. 0150 Chrome

PROP 65 WARNING
 (Contains Lead)

Medium Weight

Material: Cast Bronze
 Finish: Chrome Plated or Polished
 Dimensions: 6" Bell Bottom
 Screw Size: #8 F.H.

Finish	Bottom Diameter	Height Overall	Standard Pkg.
Polished	6"	5"	0420006POL
Chrome Plated	6"	5"	0420006CHR



Fig. 0420 Polished



Fig. 0420 Chrome

PROP 65 WARNING
 (Contains Lead)

Light Weight

Material: Stamped Brass
 Finish: Plain or Chrome Plated
 Dimensions: 6" or 8" Bell Bottom
 Screw Size: #4 F.H.

Finish	Bottom Diameter	Height Overall	Retail Pkg.
Plain	6"	4"	0159DP6PLB
Chrome Plated	6"	4"	0159DP6CHR
Plain	8"	5"	0159DP8PLB
Chrome Plated	8"	5"	0159DP8CHR



Fig. 0159 Chrome



Fig. 0159 Plain

PROP 65 WARNING
 (Contains Lead)

Fixed Mount Fog Bells

The 8 and 12 Inch Bells Listed on This Page Have Been Reviewed by the U.S. Coast Guard and Comply with C.G. 169 Regulations for Sound Signal Appliances as Required by Annex III Paragraph 2 of the '72 Colregs. The 8 Inch Size is for Use on Vessels Under 20 Meters (65.6 ft.) in Length. The 12 & 14 Inch Sizes are for Use on Vessels of any Length.

Heavy Weight

Material: Cast Bronze
 Finish: Plain, Polished, or Chrome Plated
 Dimensions: 12" or 14" Bell Bottom
 Screw Size: 1/4" R.H.

Finish	Bottom Diameter	Height Overall	Standard Pkg.
Plain	12"	12"	0158012PLB
Polished	12"	12"	0158012POL
Chrome Plated	12"	12"	0158012CHR
Plain	14"	14"	0158014PLB
Polished	14"	14"	0158014POL
Chrome Plated	14"	14"	0158014CHR



Fig. 0158 Polished



Light Weight

Material: Wrought Brass
 Finish: Plain
 Dimensions: 12" Bell Bottom
 Screw Size: #12 R.H.

Finish	Bottom Diameter	Height Overall	Standard Pkg.
Plain	12"	8"	0179012PLB

Fig. 0179



SPARE PARTS FOR BELLS ORDERING INFORMATION

For complete Spare Part No. Insert Finish Code: P or PLB, for Plain Bronze or Brass Finish (i.e. 0420P0699A or 0127000PLB).
 B or POL, for Polished Bronze or Brass Finish (i.e. 0420B0699A or 0127000POL).
 C or CHR, for Chrome Plated Finish (i.e. 0420C0699A or 0127000CHR).

ARMS		WALL PLATES		CLAPPERS	EYE BOLTS	ACORN NUTS
Figure No.	Spare Part No.	Spare Part No.	Spare Part No.	Spare Part No.	Spare Part No.	Spare Part No.
0420-6"	0420_0699A	0127000_		0153008CHR	0113000CHR	0465004_
0150-8"	0171000_	0127000_		0144000_	0123000PLB	0465008_
0150-12"	0150_1299A	0150_1299B		0172000_*	0172000_*	0465009_
0158-12"	0158_99A*	0158_0099A*		0172000_*	0172000_*	0465009_
0158-14"	0158_99A*	0158_0099A*		0172000_*	0172000_*	0465009_
0179	017900099A*	017900099A*		0144000_	017900099B	0465008_
0159-6"	0159_0099A	0166000_		0159C0699B	0113000CHR	0465004_
0159-8"	0159_0099A	0166000_		0153008_	0113000CHR	0465004_
	*Includes Wall Bracket	*Includes Arm		*Includes Eye Bolt	*Includes Clapper	

Fog Horn, Ball Whistle, and Weatherstripping

Fog Horn

Material: Aluminum, Nylon Mouthpiece
 Finish: White Baked Enamel
 Dimensions: Length: 12-1/2", 3-1/4" O.D.



Fig. 0162

Finish White	Retail Pkg. 0162DP0WHT
------------------------	----------------------------------



"Ball Type" Whistle

Material: Polymer with 3/4" O.D. Stainless Steel Ring
 Color: Orange
 Dimensions: Length: 2-1/4", Width: 3/4"



Fig. 0349

Color Orange	Retail Pkg. 0349DP	OEM Bulk Pkg. 0349
------------------------	------------------------------	------------------------------

Note: Figs. 0162 & 0349 Conform to A.B.Y.C. Standard A-23 in Accordance with the '72 COLREGS and U.S. Inland Rules for Use on Vessels Under 5 Meters (16.4 ft.) in Length.

Portlight Weatherstripping

Material: Open Cell Foam Rubber
 Color: Black
 Dimensions: Max. Width: 7/16"
 Min. Width: 1/4"
 Height: 3/8"
 Features: Supplied in Ten Foot Lengths




Fig. 0461

Length 10 Feet	Std. Pkg. 0461
--------------------------	--------------------------